



**PELICAN™
STORM CASE™**

FULL LINE BROCHURE



SINCE 1976





You’ve got equipment to protect, and a Pelican Storm Case is the best way to do it. Why? It’s all about the resin: our proprietary HPX® polymer is proven to resist impacts even in low-temperature laboratory testing. But the real proof is in the bragging rights that come with survival. Because of a Pelican Storm Case, whether falling from a helicopter, crashing down class V rapids or taking a hit in the center lane of the New Jersey turnpike is all in a day’s work.

 Wheeled Case



PRESS & PULL® LATCHES
These smooth-opening, dependable, patented latches hold tight under pressure and impact despite fast-opening performance. Tested to over 400 lbs., yet open with a simple release button.

MOLDED-IN LOCKABLE HASPS
Twin mating hasp holes on the rim of the case allow attachment of padlocks to keep your gear in and thieves out. And check out Pelican’s TSA approved cable padlock. Now you can check your baggage with confidence while flying in the USA. The Travel Security Agency has the key, and you have the combination.



SMALL CASES

iM2050

iM2075

iM2100



MEDIUM CASES

iM2200

iM2275

iM2300

iM2306



MEDIUM CASES

iM2370

iM2400

iM2435 

iM2450

iM2500 

iM2600

iM2620



LARGE CASES

iM2700

iM2720 

iM2750 

iM2875 

iM2950 



LARGE CASES

iM2975 

iM3075 

iM3100 

iM3200 



LARGE CASES

iM3220 

iM3300 

iM3410 





RUGGED IN-LINE WHEELS
Shielded from dust, dirt and other contaminants – ball bearing wheels provide low-friction, low-drag rolling with retractable handles for easy movement of heavy loads. Look for the  icon for availability on select models.

DOUBLE-LAYER, SOFT-GRIP HANDLES
When the weather goes south you’ll find a secure grip that won’t slip. An in-tool vulcanizing process over-molds the grips to the polymer handle for a lifetime of dependable performance.



VORTEX® PRESSURE RELEASE VALVE
The built-in technology of Pelican Storm Cases automatic pressure equalization valve is also a patented feature. Air travel prevents vacuum lock to make opening the case natural even after extreme altitude changes. At the same time, the microscopic filter blocks water molecules and dust particles so your gear stays clean in the Gobi and dry on the Nile.

CAT. NO.	INTERIOR DIMENSIONS (L x W x D)		EXTERIOR DIMENSIONS (L x W x D)		WEIGHT	TREK	PICK	PADDED	BEZEL	LID S	TELE	WHEEL	MEET CARRY	SHEET	COLORS
	inches	centimeters	inches	centimeters											
iM2050	9.5 x 7.5 x 4.25	(24.1 x 19 x 10.8)	11.8 x 9.8 x 4.7	(30 x 24.9 x 11.9)	2.7 lbs. (1.2 kg)		S	O	O	O			S		  
iM2075	9.5 x 7.5 x 7.25	(24.1 x 19 x 18.4)	11.8 x 9.8 x 7.7	(30 x 24.9 x 19.6)	3.3 lbs. (1.5 kg)		S	O	O	O			S		  
iM2100	13 x 9.2 x 6	(33 x 23.4 x 15.2)	14.2 x 11.4 x 6.5	(36.1 x 28.9 x 16.5)	4.2 lbs. (1.9 kg)	O	S	O	O	O			S		  
iM2200	15 x 10.5 x 6	(38.1 x 26.7 x 15.2)	16.2 x 12.7 x 6.6	(41.1 x 32.2 x 16.8)	4.9 lbs. (2.2 kg)	O	S	O	O	O			S		 
iM2275	14.1 x 13.1 x 9.5	(35.9 x 33.5 x 25.1)	15.2 x 15.5 x 10.2	(38.7 x 39.4 x 26)	8 lbs. (3.6 kg)	O	S								
iM2300	17 x 11.7 x 6.2	(43.2 x 29.7 x 15.7)	18.2 x 13.4 x 6.7	(46.2 x 34 x 17)	5.8 lbs. (2.6 kg)	O	S	O	O	O			S		  
iM2306	17 x 6.3 x 6.2	(43.2 x 16 x 15.7)	18.2 x 8.4 x 6.7	(46.2 x 21.3 x 17)	4.3 lbs. (2.0 kg)		S	O	O	O			S		 
iM2370	18.2 x 12.1 x 5.2	(46.2 x 30.7 x 13.2)	20 x 14.7 x 5.8	(50.8 x 37.3 x 14.7)	5.7 lbs. (2.6 kg)		S	O	O	O			S		 
iM2400	18 x 13 x 6.7	(45.7 x 33 x 17)	19.2 x 15.2 x 7.3	(48.7 x 38.6 x 18.5)	6.5 lbs. (3.0 kg)	O	S	O	O	O			S		  
iM2435	17.5 x 6.5 x 15.5	(44.4 x 16.5 x 39.4)	18.63 x 9.25 x 16.5	(47.3 x 23.5 x 41.9)	10 lbs. (4.5 kg)		S	O			S	S	S		 
iM2450	18 x 13 x 8.4	(45.7 x 33 x 21.3)	19.2 x 15.2 x 9	(48.7 x 38.6 x 22.9)	7.4 lbs. (3.4 kg)	O	S	O	O	O			S		 
iM2500	20.5 x 11.5 x 7.2	(52 x 29.2 x 18.3)	21.7 x 14.1 x 8.9	(55.1 x 35.8 x 22.6)	11 lbs. (5.0 kg)	O	S	O	O	O	S	S	S		  
iM2600	20 x 14 x 7.7	(50.8 x 35.5 x 19.6)	21.2 x 16 x 8.3	(53.8 x 40.6 x 21.1)	8.5 lbs. (3.9 kg)	O	S	O	O	O					  
iM2620	20 x 14 x 10	(50.8 x 35.5 x 25.4)	21.2 x 16 x 10.6	(53.8 x 40.6 x 26.9)	12.5 lbs. (5.7 kg)	O	S	O	O	O	S	S			 
iM2700	22 x 17 x 8	(55.9 x 43.2 x 20.3)	24.6 x 19.7 x 8.6	(62.5 x 50 x 21.8)	11.1 lbs. (5.0 kg)		S	O	O	O					  
iM2720	22 x 17 x 10	(55.9 x 43.2 x 25.4)	24.6 x 19.7 x 11.7	(62.5 x 50 x 29.7)	16.8 lbs. (7.6 kg)	O	S	O	O	O	S	S			  
iM2750	22 x 17 x 12.7	(55.9 x 43.2 x 32.2)	24.6 x 19.7 x 14.4	(62.5 x 50 x 36.6)	18.5 lbs. (8.4 kg)		S	O	O	O	S	S			  
iM2875	22.5 x 21.1 x 11.4	(57.1 x 53.6 x 28.9)	24.9 x 23.7 x 13.1	(63.2 x 60.2 x 33.3)	20.1 lbs. (9.1 kg)		S	O	O	O	S	S			 
iM2950	29 x 18 x 10.5	(73.6 x 45.7 x 26.7)	31.3 x 20.4 x 12.2	(79.5 x 51.8 x 31)	20.8 lbs. (9.5 kg)	O	S	O	O	O	S	S			  
iM2975	29 x 18 x 13.8	(73.6 x 45.7 x 35)	31.3 x 20.4" W x 15.5	(79.5 x 51.8 x 39.4)	22.5 lbs. (10.2 kg)		S	O	O	O	S	S			 
iM3075	29.8 x 20.8 x 17.8	(75.7 x 52.8 x 45.2)	33.3 x 24.4 x 19.3	(84.5 x 62 x 49)	31.5 lbs. (14.3 kg)		S	O	O	O	S	S			 
iM3100	36.5 x 14 x 6	(92.7 x 35.5 x 15.2)	39.8 x 16.5 x 6.7	(101.1 x 41.9 x 17)	15.2 lbs. (6.9 kg)							S		S	 
iM3200	44 x 14 x 6	(111.7 x 35.5 x 15.2)	47.2 x 16.5 x 6.7	(119.8 x 41.9 x 17)	17.7 lbs. (8.0 kg)	S (standard), O (optional) -**Available as add-on kits only. Require additional assembly							S	 	
iM3220	44 x 14 x 8.5	(111.7 x 35.5 x 21.6)	47.2 x 16.5 x 9.2	(119.8 x 41.9 x 23.4)	20.4 lbs. (9.3 kg)	-All cases available with no foam as an option							S	 	
iM3300	50.5 x 14 x 6	(128.2 x 35.5 x 15.2)	53.8 x 16.5 x 6.7	(136.6 x 41.9 x 17)	19 lbs. (8.6 kg)	-iM3100 through iM3300 come with multilayer foam							S	 	
iM3410	54.5 x 10 x 6	(138.4 x 25.4 x 15.2)	57.74 x 12.7 x 6.7	(146.6 x 32.3 x 16.9)	19 lbs. (8.6 kg)							S		S	 

* Lid height included in interior dimensions:
iM2050-iM2075 1.5 inch (3.8 cm) lid, iM2370 1.7 inch (4.3 cm) lid, iM3075 4 inch (10.2 cm) lid, iM2100-3300 2 inch (5.1 cm) lid

S (standard), O (optional)
-**Available as add-on kits only. Require additional assembly
-All cases available with no foam as an option
-iM3100 through iM3300 come with multilayer foam

SEE OUR FULL LINE OF PRODUCTS AT: **PELICAN.COM**



PELICAN LIGHTING TOOLS

- Safety Approved lights for hazardous locations
- Specialized lights for fire and rescue operations
- Headlamps
- Submersible lights for diving

PELICAN REMOTE AREA LIGHTS

- Solid-state mounted LEDs
- Portable
- Multi-directional lamp heads
- Up to 15 hours of burn time
- Rechargeable

PELICAN-HARDIGG™ SINGLE LID CASES

- Rotational Molding Technology
- Recessed hardware
- Comfort Grip Handles
- Available airtight/watertight designs
- Over 300 sizes
- Built-in skid runners option available on select models
- Mobile Military solutions for Medical, Information Technology, Office, Armory, and Transport Logistics
- Reinforced corners and edges for impact protection

U.S.A.

CALIFORNIA

23215 Early Avenue
Torrance, CA 90505
Tel: 310.326.4700
800.473.5422
Fax: 310.326.3311
www.pelican.com

MASSACHUSETTS

147 North Main Street
South Deerfield, MA 01373
Tel: 800.542.7344
Fax: 413.665.8330
www.pelican.com

MINNESOTA

Pelican BioThermal
Headquarters
Plymouth, MN USA
Tel: 763.412.4800
877.537.9800
www.pelicanbiothermal.com

EUROPE, MIDDLE EAST AND AFRICA

Peli Products, S.L.U.
c/ Provença, 388, Planta 7
08025 · Barcelona, Spain
Tel: +34 934 674 999
Fax: +34 934 877 393
www.peli.com

JAPAN

Pelican Products K.K.
Nisso 22 Bldg 9F
1-11-10 Azabu Dai
Minato ward Tokyo
106-0041 Japan
Tel: +81 33 585 9100
Fax: +81 33 585 9109
www.pelican.com/jp

INTERNATIONAL

CANADA

Pelican Products ULC
10221-184th Street
Edmonton, Alberta
T5S 2J4 Canada
Tel: +780 481 6076
Fax: +780 481 9586
www.pelican.com/ca

AUSTRALIA

Pelican Products Pty Ltd
West Wing, Platinum Building,
Suite 2.33, 4 Ilya Av
Erina NSW 2250
Tel: +612 4367 7022
Fax: +612 4367 7066
www.pelicanaustralia.com

CHINA

Pelican Products China Representative Office
Pine City Building, Room 1026
777 Zhaojiabang Road
Shanghai, China 200032
Tel: +86 21 64189685
Fax: +86 21 64189679
www.pelican.com/cn

KOREA

Pelican Products Korea Ltd
#909 Hyundai 41 Tower, #2616
917-9, Mok-dong, Yangchon-gu,
Seoul, Korea 158-050
Tel: +82 2 6092 4700
Fax: +82 2 6739 4700
www.pelican.com/ko

INDIA and SOUTH ASIA

(Bangladesh, Bhutan, Maldives, Nepal, Sri Lanka)
Pelican Products and Services India Pvt. Ltd
GF 9&10, Augusta Point, Sector-53, Golf Course Road,
Haryana, Gurgaon 122002
Tel: +91 124 4377227 • Fax: +91 124 4049227
www.pelican.com

SE ASIA and rest of ASIA (Hong Kong, Macau, Taiwan, Pakistan)

No.777, Pine City Building ZhaoJiaBang Road
#10-26 XuHui District
Shanghai, China 200032
Toll Free: +1 800-820-3082
Tel: +86 21 64189685
Fax: +86 21 64189679
www.pelican.com

LATIN AMERICA

23215 Early Avenue
Torrance, California 90505 USA
Tel: +1 310-326-4700 x 1462
Fax: +1 310-325-5740
www.pelican.com

DISTRIBUTED BY:

©2017 Pelican Products, Inc. All trademarks are registered and/or unregistered trademarks of Pelican Products, Inc., its subsidiaries and/or affiliates.

Part. No. 0030-000-900 DE/19

GUARANTEED FOR LIFE
SEE PELICAN.COM/WARRANTY FOR FULL DETAILS